




GLOBAL

HERITAGE

WCG146 – Instant Hot Water Service
Customer presentation
| 18 May 2026

Instant Hot Water Service

WCG146 – Instant Water Heater



USPs

1. Instant Hot Water – No tank
2. Light weight
3. Energy efficient – 90% less energy use than storage systems
4. Safety - Fully certified to:
 - i. AS/NZS5263.1.2-2020 – AGA Certificate #9161
 - ii. AS/NZS5263.0-2023
 - iii. AS/NZS3498 - Watermark license #60154
5. Digital control – Temperature adjustment
6. Diagnostic + error codes
7. No Anode
8. Fits standard cut outs
9. Compact design
10. 45.5MJ/h for optimum performances
 - i. Better temperature stability
 - ii. Better performances at low ambient temperature
 - iii. Best installation flexibility – gas pipe sizing
11. Easy to use
 - a. Hinged door for easy access
 - b. Intuitive control panel

GLOBAL
HERITAGE



Specifications

- **Energy Consumption:** 45.5 MJ/h
- **Fuel:** Universal LPG
- **Inlet gas pressure:** 2.75 kPa
- **Power input:** DC 12V, 36 W
- **Water temperature adjustment:** 35°C to 50°C
- **Capacity:** 5.8 l/min (Temp rise 25 °C)
- **Heat output:** 9.8kW
- **Dimensions:** 390x390x418mm
- **Cut out:** 330x300mm
- **Net Weight:** 9.3kg

SPECIFICATIONS	
Energy Consumption:	45.5 MJ/h
Fuel:	Universal LPG
Number of injector:	6
Injector size:	0.82 mm
Inlet pressure:	2.75 kPa
Power input:	DC 12V, 36 W
Water operating pressure:	0.8 Mpa Max
Min. water work pressure:	0.15 Mpa
Max. water temperature:	60°C
Capacity:	5.8 l/min (Temperature rise 25K)
Heat output:	9.8 kW
Serial No:	YVWXXXX
    	